

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	84	((andrew near2 standford-clark) (blake near2 philip) (todd near2 stephen)).in.	USPAT	OR	OFF	2008/01/31 13:42
S2	48775	(international adj business adj machines adj corporation).as.	USPAT	OR	OFF	2008/01/31 13:46
S3	3539	S2 and "709".clas.	USPAT	OR	OFF	2008/01/31 13:49
S4	8624	(709/230 709/221 709/203 709/220 709/228).ccls.	USPAT	OR	OFF	2008/01/31 14:28
S5	1125	S2 and S4	USPAT	OR	OFF	2008/01/31 14:28
S6	6	S1 and "709".clas.	USPAT	OR	OFF	2008/01/31 14:28
S7	1	("2003172270" "6560604").pn.	USPAT	OR	OFF	2008/01/31 14:29
S8	1	("20030172270" "6560604").pn.	USPAT	OR	OFF	2008/01/31 14:29
S9	4	("20030172270" "6560604").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 14:30
S10	20952	(client same server same configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 15:16
S11	418	S10 same (compatible compatability)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 15:20
S12	2	S11 same disconnect\$3 same compar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 15:20
S13	13	S11 same compar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/31 15:21

S14	3073	(client same server same (configuration configur\$2 characteristic\$4 structur\$4 parameter (signal near3 strength) speed propt\$3) same (updat\$3 chang\$3 modif\$4 replac\$3) same (support\$3 compatible compatibilit\$3 compar\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:16
S15	235	(client with server with (configuration configur\$2 characteristic\$4 structur\$4 parameter (signal near3 strength) speed propt\$3) with (updat\$3 chang\$3 modif\$4 replac\$3) with (support\$3 compatible compatibilit\$3 compar\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:18
S16	130	S15 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:19
S17	32	(server near4 (updat\$3 chang\$3 modif\$4 replac\$3) near4 (configuration configur\$2 characteristic\$4 structur\$4 parameter (signal near3 strength) speed propt\$3)) with client with (support\$3 compatible compatibilit\$3 compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:23
S18	20	S17 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:27
S19	110	S16 not S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:39
S20	2488	(server with (updat\$3 chang\$3 modif\$4 replac\$3) with (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propt\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:30

S21	559	((client near4 (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propert\$3)) with (support\$3 compatibility compatible incompatible incompatibility match\$3)) same (disconnect\$3 remov\$3 drop\$4 withdraw\$3 detach\$3 separat\$3 block\$3 prevent\$3 terminat\$3 break\$3 disengag\$3 cut cutting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:38
S22	1374	((client near4 (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propert\$3) same (support\$3 compatibility compatible incompatible incompatibility match\$3)) same (disconnect\$3 remov\$3 drop\$4 withdraw\$3 detach\$3 separat\$3 block\$3 prevent\$3 terminat\$3 break\$3 disengag\$3 cut cutting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:39
S23	14	S20 and S22 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:43
S24	11	S23 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:44
S25	227	(server with (updat\$3 chang\$3 modif\$4 replac\$3) with (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propert\$3)) and S22 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 18:00
S26	206	S25 not S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 18:01

S27	932	(client near4 (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propt\$3) same (support\$3 compatibility compatible incompatible incompatibility match\$3)) same (disconnect\$3 remov\$3 drop\$4 withdraw\$3 detach\$3 separat\$3 prevent\$3 terminat\$3 break\$3 disengag\$3 cut cutting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 18:02
S28	503	(S27 and S22 and @ad<="20031206") not (S16 S24)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 18:04
S29	235	(client with server with (configuration configur\$2 characteristic\$4 structur\$4 parameter (signal near3 strength) speed propt\$3) with (updat\$3 chang\$3 modif\$4 replac\$3) with (support\$3 compatible compatibilit\$3 compar\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S30	130	S29 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S31	2488	(server with (updat\$3 chang\$3 modif\$4 replac\$3) with (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propt\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S32	1374	(client near4 (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propt\$3) same (support\$3 compatibility compatible incompatible incompatibility match\$3)) same (disconnect\$3 remov\$3 drop\$4 withdraw\$3 detach\$3 separat\$3 block\$3 prevent\$3 terminat\$3 break\$3 disengag\$3 cut cutting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20

S33	14	S31 and S32 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S34	11	S33 not S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S35	227	(server with (updat\$3 chang \$3 modif\$4 replac\$3) with (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute proptert\$3)) and S32 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S36	932	(client near4 (configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute proptert\$3) same (support\$3 compatibility compatible incompatible incompatibility match\$3)) same (disconnect\$3 remov\$3 drop\$4 withdraw\$3 detach\$3 separat\$3 prevent\$3 terminat \$3 break\$3 disengag\$3 cut cutting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S37	133	(S36 and S35 and @ad<="20031206") not (S30 S34)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:20
S38	2700	(client with server with (compatible compatibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:45
S39	193	(client with server with (compatible compatibility)). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:46
S40	4	S39 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 10:46

S41	149	S39 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:03
S42	7737	(server near3 (updat\$3 modify\$3 modification modified replac\$3 chanc\$3 upgrad\$3)) with (object attribute version configuration characteristic structure parameter propert \$3 capabilit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:06
S43	16	S41 and S42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:06
S44	6477	(client near4 (disconnect\$3 remov\$3 drop\$4 withdraw\$3 detach\$3 separat\$3 prevent \$3 terminat\$3 break\$3 disengag\$3 cut cutting)) and "39"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:52
S45	132	(client near4 (disconnect\$3 remov\$3 drop\$4 withdraw\$3 detach\$3 separat\$3 prevent \$3 terminat\$3 break\$3 disengag\$3 cut cutting)) and "s39"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:53
S46	81	S45 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:53
S47	1880	(server and client and (capabilit\$3 configuration configur\$2 characteristic\$4 structur\$4 parameter version attribute propert\$3) and (support\$3 compatibility compatible incompatible incompatibility match\$3)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:56
S48	1330	S47 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:56

S49	7737	(server near3 (updat\$3 modify\$3 modification modified replac\$3 chanc\$3 upgrad\$3)) with (object attribute version configuration characteristic structure parameter propert \$3 capabilit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:57
S50	5	S49 and S48 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:57
S51	193	(client with server with (compatible compatibility)). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:58
S52	149	S51 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:58
S53	16	S52 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:58
S54	3	S50 not S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:58
S55	95	S48 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:05
S56	90	S55 not S50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:06
S58	0	"20070100974".pn.	USPAT	OR	OFF	2008/02/04 09:42
S59	0	us-20070100974.pdid.	USPAT	OR	OFF	2008/02/04 09:42

S62	2	"6564258".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 10:34
S66	1	"09/010387".app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 10:42
S67	1	"09/014742".app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 10:43
S68	123770	(compression and encryption and (signal near3 strength) speed encod\$3 application) near3 (parameter configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 11:25
S69	1	(compression and encryption and (signal near3 strength) and speed and encod\$3 and application) near3 (parameter configuration)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 11:32
S70	26303	(server with (updat\$3 modif \$4 replac\$3 upgrad\$3 chang \$3) with (configuration object configur\$2 characteristic\$4 capabilit\$3 speed structur\$4 parameter version attribute propt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:35
S71	6641	(server near3 (updat\$3 modif \$4 replac\$3 upgrad\$3 chang \$3) near3 (configuration object configur\$2 characteristic\$4 capabilit\$3 speed structur\$4 parameter version attribute propt\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:36
S72	4056	S71 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:37

S73	15	S72 and (client near3 (compatible compatibility incompatible incompatibility)) same (disconnect\$3 remov\$3 drop\$4 detach\$3 separat\$3 block\$3 prevent\$3 terminat\$3 break\$3 disengag\$3 cut cutting)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 13:41
S74	113	S72 and (client near3 (compatible compatibility incompatible incompatibility))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:05
S75	98	S74 not S73	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 14:05
S76	6641	(server near3 (updat\$3 modif\$4 replac\$3 upgrad\$3 chang\$3) near3 (configuration object configur\$2 characteristic\$4 capabilit\$3 speed structur\$4 parameter version attribute propert\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:11
S77	4056	S76 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:11
S78	6653	(server near3 (updat\$3 modif\$4 replac\$3 upgrad\$3 chang\$3) near3 (configuration object configur\$2 characteristic\$4 capabilit\$3 speed structur\$4 parameter version attribute propert\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 09:13
S79	4061	S78 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 09:13
S80	267	S79 and (compatible compatibility incompatible incompatibility) and (709/230 709/223 709/203).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 09:13

S81	156	(configuration and (compatible compatibility incompatible incompatibility)). ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 09:53
S82	107	S81 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 09:53
S83	1	S82 and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 09:53
S84	0	@ad<="20031206" and ((different multiple) near5 configurat\$6 same (pda laptop cliet) same server same disconnect\$4)	USPAT	OR	OFF	2008/02/05 15:07
S85	0	09/771338.app.	USPAT	OR	OFF	2008/02/05 15:10
S86	2	(fishman kadyk curtis seinfeld ledsome).in. and @ad="20010126"	USPAT	OR	OFF	2008/02/05 15:11
S87	0	"20040203593".pn.	USPAT	OR	OFF	2008/02/05 15:12
S88	2	"20040203593".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 15:12
S89	2	"20030115256".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 15:14
S90	5	\$compatible same configurat \$6 same (pda laptop client) same server same disconnect \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 18:26
S91	1	incompatible same configurat \$6 same (pda laptop client) same server same disconnect \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 18:27

S92	9	incompatible near5 configurat \$6 same (pda laptop client) same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 18:28
S93	6	(different multiple) near5 configurat\$6 same (pda laptop client) same server same disconnect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/05 18:29
S94	9	(different multiple) near5 configurat\$6 same (pda laptop client) same server same disconnect\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/05 18:48
S95	0	((chang\$3 modif\$4 upgrad\$3 replac\$3) with server with configur\$6) same (media near2 encod\$3) same (compression) same (connection near2 speed)	USPAT	OR	ON	2008/02/06 11:01
S96	1	((chang\$3 modif\$4 upgrad\$3 replac\$3) with server with configur\$6) and (media near2 encod\$3) and (compression) and (connection near2 speed)	USPAT	OR	ON	2008/02/06 11:01
S97	60	((chang\$3 modif\$4 upgrad\$3 replac\$3 improv\$3) with server with configur\$6) same (mobile pda laptop (cell adj phone))	USPAT	OR	ON	2008/02/06 11:08
S98	53	S97 and @ad<="20031206"	USPAT	OR	ON	2008/02/06 11:08
S99	85	((switch\$3) with server with configur\$6) same (mobile pda laptop (cell adj phone))	USPAT	OR	ON	2008/02/06 11:21
S100	68	S99 and @ad<="20031206"	USPAT	OR	ON	2008/02/06 11:21
S101	63	S100 not S98	USPAT	OR	ON	2008/02/06 11:21
S102	582	(detect\$3 determin\$3 discover\$3) near5 (client near4 (capabilit\$3 configurat \$3 profile))	USPAT	OR	ON	2008/02/06 16:45
S103	6	S102 same ((updat\$3 upgrad \$3 modif\$4 chang\$3 reconfigur\$6 replac\$3) near5 server near5 (configur\$6 parameter))	USPAT	OR	ON	2008/02/06 16:48

S104	6	S103 and @ad<="20031206"	USPAT	OR	ON	2008/02/06 16:49
S105	4	("7039709" "6976063").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 09:57
S106	110	server same (speed rate) same (media near4 (encod\$3 compress\$3)) same (attribute version configurat \$3 standard characteristic\$4 parameter capabilit\$3 propert \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 10:09
S107	1	S106 same (server near3 (upgrad\$3 updat\$3 replac\$3 modif\$4 reconfigur\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 10:21
S108	26	S106 and (server near3 (upgrad\$3 updat\$3 replac\$3 modif\$4 reconfigur\$6))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 10:22
S109	9	S108 and @ad<="20031206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/08 10:23
S110	5	("6202207" "6199204" "6167567" "6151708" "5835911").pn.	USPAT	OR	OFF	2008/02/08 11:30
S111	3	(server and client and ((first second) near3 configuration) and incompatible and disconnect\$3).clm.ab.	US-PGPUB; USPAT	OR	ON	2008/09/08 12:03
S112	22267	(client same server same configuration)	US-PGPUB; USPAT	OR	OFF	2008/09/08 12:58
S113	526	client same (incompatibil\$4 compatibil\$3 support\$3) same ((updat\$3 chang\$3 first second different upgrad\$3) with server with (capabilit\$3 configuration))	US-PGPUB; USPAT	OR	ON	2008/09/08 13:01
S114	9659	(709/228,227,220).ccls.	US-PGPUB; USPAT	OR	ON	2008/09/08 13:02
S115	56	S113 and S114	US-PGPUB; USPAT	OR	ON	2008/09/08 13:02
S116	11	S115 and (disconnect\$3)	US-PGPUB; USPAT	OR	ON	2008/09/08 13:02

S117	230	((andrew near2 standford-clark) (blake near2 philip) (todd near2 stephen)).in.	US-PGPUB; USPAT	OR	OFF	2008/09/08 13:07
S118	1	S117 and S111	US-PGPUB; USPAT	OR	OFF	2008/09/08 13:07
S119	76173	(international adj business adj machines adj corporation).as.	US-PGPUB; USPAT	OR	ON	2008/09/08 13:07
S120	1974	S119 and S112	US-PGPUB; USPAT	OR	ON	2008/09/08 13:08
S121	173	S120 and S114	US-PGPUB; USPAT	OR	ON	2008/09/08 13:08
S122	9	S121 and S113	US-PGPUB; USPAT	OR	ON	2008/09/08 13:08
S123	0	(server same client same ((first second) near3 configuration) same incompatible same disconnect \$3) and (709/220,227,228). ccls.	US-PGPUB; USPAT	OR	ON	2008/09/08 13:27

9/ 8/ 2008 2:06:50 PM

C:\Documents and Settings\mkhanna\My Documents\EAST\Workspaces\10596220.wsp